

2017 WATER QUALITY REPORT

The water provided by the Town of Payson meets or surpasses all Federal and State drinking water quality standards.

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

The Town of Payson Water Department (Public Water System AZ04-04032) is a public water utility that supplies drinking water to approximately 17,000 customers within a 16 square mile area. The current water system includes 41 active production groundwater wells that draw water from an aquifer consisting of a series of complex random cracks and fractures in the granite rock beneath the town. The water distribution system has 8.6 million gallons storage capacity, 9 booster pumping stations, 1 water remediation facility and more than 190 miles of pipe lines. A staff of 19 full-time employees provides a variety of services for our customers. Beginning in the fall/winter of 2018, the Town of Payson will complete the C.C. Cragin Reservoir project which will more than double the average amount of water supply available to the Town of Payson. This project connects the Town of Payson to C.C. Cragin Reservoir on top of the Mogollon Rim.

C.C. Cragin Reservoir Project

The C.C. Cragin Reservoir Project as depicted in the image hereon consists of approximately 14 miles of new out-of-town and 5.6 miles of in-town 18-inch diameter Ductile Iron Pipeline and a new 4.5 million gallon per day microfiltration treatment plant. More information on the C.C. Cragin Project is available at http://www.paysonaz.gov/Departments/w ater/Cragin.html



East Vesde River The raw water flows by gravity from the tail race connection to the urater treatment facility. To the Vesde Rives The treated water feeds Water treatment facility themore than 190 miles of water mains and storage nks to for household, fire The water passes through and emergency need Payson's drinking water treatment facility where the water is filtered, chlorinated, and treated with CO2 and lime to adjust the pH and hardness. Town of Payson

Additional Underground Storage Wells

The Town of Payson is nearing construction completion of 8 Aquifer Storage and Recovery (ASR) Wells in Town for long term underground storage of treated C.C. Cragin Reservoir Water. This water will be stored during years with high precipitation and used for supply during extended drought conditions.

UNDERSTANDING WATER QUALITY RESULTS

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The Water Quality Table on Page 6 lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Results listed in the table are from 2016 -2017, which presents the most recent information acquired. The EPA and ADEQ require us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

The sample results are organized into two major tables:

 The Primary Drinking Water Standards, which are limits established for regulated substances (either a Maximum Contaminant Level or Action Level), and 2) The Secondary Drinking Water Standards, which contain unregulated substances that public water systems are required to monitor, but that have no established regulatory limits.

FREQUENTLY ASKED QUESTIONS ABOUT WATER QUALITY:

What is the Hardness of Payson Water?

Payson's groundwater is considered hard and Payson surface water is soft. The hardness is due to dissolved minerals-primarily calcium and magnesium- in the water. These minerals are not harmful, but can leave white spots on glassware and plumbing fixtures. The most recent testing of Payson's active wells showed hardness in the range of 62 – 230 ppm (3.6 – 13. gpg).

C.C. Cragin's surface water is considered soft, with a median hardness of 28 mg/L (1.6gpg). The town will buffer the water by adding minerals to stabilize the water and prevent corrosion.

How is our water treated?

Groundwater is treated by adding a small amount of chlorine to disinfect the water and prevent bacterial growth.

Surface water from C.C. Cragin Reservoir is treated by microfiltration and granular activated carbon. Next, lime and carbon dioxide are added to buffer the water and prevent corrosion, and finally, a small amount of chlorine is added to disinfect and prevent bacterial growth.

Does the Town of Payson add Fluoride to its Drinking Water?

No, the Town of Payson does not add fluoride to its drinking water. Fluoride is naturally occurring in Payson groundwater with an average concentration of 0.7 mg/L. Testing of C.C. Cragin water showed levels of fluoride in the range of 0.042 mg/L or less.

How is our water tested?

In order to ensure that tap water is safe to drink, the U.S Environmental Protection Agency (EPA) and the Arizona Department of Environmental Quality prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

Water from each approved drinking water well is tested for several different types of contaminants, which include the following:

- Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic Contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.
- Pesticides and Herbicides, which may come from a variety of sources such as agriculture, storm water runoff, and residential uses.
- 4) Organic Chemicals, including synthetic and volatile organics which are by-products of industrial processes and petroleum production, and can come from gas stations, urban storm water runoff, and septic systems.
- 5) Radioactive contaminates, that can be naturally occurring or be the result of oil and gas production or mining activities.

The Water Quality Table on Page 6 lists the quantities of substances that were detected in our water. None of the substances found in Payson's water exceed the Maximum Contamination Levels established by EPA for healthful water.

PROTECTING OUR WATER QUALITY

Health standards for drinking water are designed to detect and eliminate any unwanted substances long before they pose a threat to public health. If an unwanted contaminant is detected, the Town of Payson Water Department implements a strict set of established procedures to correct any problems immediately.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of contaminants. The presence of these contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800) 426-4791.

What is a Vulnerable Population?

Some people may be more vulnerable to contaminants in drinking water than the general population.

Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791.

What is a Maximum Contaminant Level (MCL)?

The highest level of a substance that is allowed in drinking water: MCLs are set as close to MCLGs as feasible using the best available technologies for treatment.

What is a Maximum Contaminant Level Goal (MCLG)?

The level of a substance in drinking water below which there is no known or anticipated adverse health effects. This level is a non-enforceable health goal which allows an adequate margin of safety.

What is an Action Level (AL)?

The concentration of a substance, which if exceeded, triggers treatment or other requirements which a water system must follow.

Lead Corrosion of

household plumbing systems; Erosion of natural deposits

Nitrate Runoff from fertilizer

use; Leaching from septic tanks, sewage; Erosion of natural

deposits.

Combined Radium Erosion of natural

deposits.

Tetrachloroethylene Discharge from dry

cleaners.

Total Trihalomethanes By-product of

drinking water chlorination.

Zylenes Byproduct of Storage

Reservoir Coating

SOURCE WATER ASSESSMENT

On August 05, 2003, Arizona Department of

Environmental Quality (ADEQ) staff published a Source Assessment document that provides detailed information on the Town of Payson's drinking water sources and the vulnerability of those sources to contamination.

Based on currently available information, ADEQ determined that our source water is susceptible to possible future contamination. The following list is shown as examples of potential sources of contamination. For further information or to request a copy of the final source water assessment report, contact the Payson Water Department at (928) 472-5102

PARAMETER MAJOR POTENTIAL SOURCES OF DETECTED SUBSTANCES

Barium Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.

Copper Corrosion of

household plumbing systems; Erosion of natural deposits; Leaching from wood

preservatives.

Fluoride Erosion of natural

deposits; Discharge from fertilizer and aluminum factories.

Gross Alpha Erosion of natural

deposits

Haloacetic Acids Byproduct of drinking

water chlorination.

INFORMATION STATEMENT

Lead - If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Payson is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800) 426-4791 or at www.epa/safewater/lead.

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods-of-time because of rainfall or agricultural activity. If you caring for an infant, and detected nitrate levels are above 5 ppm, you should ask advice from your health care provider.

WHAT CAN YOU DO TO HELP?

It's much easier and far less expensive to prevent a water pollution problem than it is to clean it up. You can help protect the quality of our drinking water by following these simple guidelines:

- 1) Use herbicides, insecticides and fertilizers sparingly.
- 2) Unused medicines and pharmaceutical/prescription products should be disposed of at the police department drop box in lobby, (medicines will be incinerated).
- 3) Recycle old car batteries, used motor oil and other fluids.
- 4) Take hazardous household products, including solvents, paints and chemicals to a proper disposal center. There will be a Free Electronic & Household Hazardous Waste Recycling Event on Saturday, May 12th 2018, 8 am to noon, at The Home Depot

For more information on recycling, go to http://www.paysonaz.gov/, click on RECYLING LOCATIONS under QUICK LINKS, (left column).

FOR MORE INFORMATION ABOUT YOUR DRINKING WATER

The Town of Payson is committed to providing a safe and sufficient supply of drinking water for our community both now and in the future. If you have any questions about your drinking water, please call:

Dan Utz, Water Quality Specialist dutz@paysonaz.gov (928) 472-5102.

Town of Payson's Web Site www.paysonaz.gov

This report is available online at: http://www.paysonaz.gov/wgr-17.pdf

Environmental Protection Agency's Safe Drinking Water Hotline (800) 426-4791 www.epa.gov/drink/

Arizona Department of Environmental Quality (602)771-4617 http://azdeg.gov/programs/water-quality-programs/safe-drinking-water

The Town Council may make decisions that affect the quality of our water, and you are invited to participate. Meeting notices are published in the local newspaper, and posted at Town Hall (303 North Beeline Highway).

A paper version of this report is available at the Town of Payson Water Department, 303 N. Beeline Highway, Bldg. A, or the Payson Public Library.

WATER QUALITY ANALYSIS

| PARAMETER | DATE | UNIT | MCL | MCLG | Town of Payson Drinking Water Sources | | | | | | |
|--|----------------------|-------------------|------------|-------------|--|--------------------------------|--|--|--|--|--|
| | | | | | Payson Groundwater | | | | | | |
| PRIMARY DRINKING WATER STANDARDS - Mandatory Health-Related Levels Established by EPA and ADEQ. | | | | | | | | | | | |
| DISINFECTANT RESIDUALS – 20 Samples required each month for the entire water distribution system. MRDL MRDLG Running Annual Average Range | | | | | | | | | | | |
| Chlorino (Franc) | 2017 | T | 4 | | 0.50 | 0.03 – 1.90 | | | | | |
| Chlorine (Free) | 2017 | ppm | 4 | 4 | 0.50 | 0.03 – 1.90 | | | | | |
| LEAD AND COPPER - Com | pliance with | Action Le | vels based | on sampl | es collected at source wells | and thirty (30) customer taps. | | | | | |
| Lead Results - Homes | 2016 | ppb | 15 | 0 | 90 th Percentile = 4.7 | 1 Household >Action Level | | | | | |
| Copper Results- Homes | | ppm | 1.3 | 1.3 | 90 th Percentile = 0.27 | 0 Households >Action Level | | | | | |
| Lead Results- Sources | | ppb | ~ | ~ | Town-wide Source Level Range = <0.50 – 19. | | | | | | |
| Copper Results-Sources | | ppm | ~ | ~ | Town-wide Source Level Range = 0.05 – 0.35 | | | | | | |
| RADIOCHEMICAL MONITO | DRING | PP | | I. | Average | Range | | | | | |
| Gross Alpha | 2016 | pCi/I | 15 | 0 | 7.4 | N.D. – 14.5 | | | | | |
| Combined Radium | 2016 | pCi/l | 5 | 0 | 0.5 | N.D. – 1.1 | | | | | |
| REGULATED INORGANIC | COMPOUNDS | 5 | - | | Average | Range | | | | | |
| Barium | 2016 | ppm | 2 | 2 | 0.049 | 0.0043 -0.10 | | | | | |
| Fluoride | 2016 | ppm | 4 | 4 | 0.67 | N.D. – 1.9 | | | | | |
| Nitrate (as N) | 2017 | ppm | 10 | 10 | 1.3 | N.D. – 4.1 | | | | | |
| REGULATED ORGANIC CO | MPOUNDS | | | | Average | Range | | | | | |
| Tetrachloroethylene | 2017 | ppb | 5 | 0 | N.D. | N.D. – 0.70 | | | | | |
| DISINFECTION BYPRODUCT MONITORING | | | | | Average | Range | | | | | |
| Total Trihalomethane (TTHM) | 2017 | ppb | 80 | N/A | 6.1 | 4.5 – 7.7 | | | | | |
| Haloacetic Acids (HAA) | 2017 | ppb | 60 | N/A | N.D. | N.D. | | | | | |
| SECONDARY DRINKING | WATER | STANDA | RDS - Ae | sthetic Lev | els Established by EPA and A | DEQ. | | | | | |
| UNREGULATED INORGANIC COMPOUNDS Range | | | | | | | | | | | |
| Alkalinity | 2016 | ppm | Τ ~ | ~ | 66 - | - 240 | | | | | |
| Calcium | 2016 | ppm | ~ | ~ | | 66 - 240 16 - 71 | | | | | |
| Chloride | 2016 | ppm | ~ | ~ | 3.7 - 21 | | | | | | |
| Hardness, Total | 2016 | ppm | ~ | ~ | 62 - 230 (3.6 – 13.2 gpg) | | | | | | |
| raidiless, rotal Iron | 2016 | ppm | ~ | ~ | N.D. – 1.5 | | | | | | |
| Magnesium | 2016 | ppm | ~ | ~ | 5.4 - 22 | | | | | | |
| Manganese | 2016 | ppm | ~ | ~ | N.D 0.15 | | | | | | |
| pH | 2016 | SU | ~ | ~ ~ | 6.2-7.5 | | | | | | |
| рп Sodium | 2016 | ppm | ~ | ~ | 0.2-7.5 | | | | | | |
| | 2010 | | | ~ | 5.8 - 15 | | | | | | |
| | 2016 | | | | 5.8 - 15 170 - 330 | | | | | | |
| Sulfate | 2016 | ppm | ~ | ~ | | | | | | | |
| Sodium Sulfate Total Dissolved Solids Zinc | 2016 2016 2016 | ppm ppm ppm | ~ | ~ ~ | 170 | | | | | | |

| KEY | TO CHART | | | |
|------|-------------------------------------|---|------|---------------------|
| MCL | Maximum Contaminant Level | Limits are not set for these parameters | N.D. | Not Detected |
| MCLG | Maximum Contaminant Level Goal | Range Low to high measurements reported during the year | N/A | Not Applicable |
| MFL | Million Fibers per liter | Pci/l Pico Curies per liter, measurement for radiochemicals | ppm | Parts per million |
| (<) | Less than amount indicated | gpg Grains per gallon (Water Softener Terminology) | ppb | Parts per billion |
| MRDL | Maximum Residual Disinfection Level | MRDLG Maximum Residual Disinfection Level Goal | TT | Treatment Technique |